



# CLEANING AND DISINFECTION NEEDS ARE GROWING

Due to COVID-19 emergency, the consumer demand for cleaning and disinfection products

## IS CONSTANTLY GROWING



THE WHEELBARROWS ARE LARGE TANKS ON WHEELS CONNECTED TO A MOTOR PUMP, THAT PRESSURIZES THE WATER AND SPRAYS IT IN THE OUTDOOR ENVIRONMENT THROUGH A LANCE WITH SPECIAL NOZZLES.

MAINLY USED IN AGRICULTURAL SECTOR FOR SPREADING PROTECTION PLANT PRODUCTS, WHERE HIGH PRESSURE IS NOT REQUIRED (MAX 40 BAR).

FOLLOWING SIMPLE ORDINARY MAINTENANCE RULES, THE WHEELBARROWS ARE PARTICULARY EFFECTIVE EVEN FOR

## **SANITIZATION TREATMENTS**

STREETS • SIDEWALKS • WALLS • PARKING LOTS • URBAN FURNITURE • INDUSTRIAL BUILDINGS











## **CRL** 50





### **AVAILABLE IN 2 VERSIONS**

#### electric motor · internal combustion engine



MC 20/20 **3.554.0051** With electric motor MNF 230/50

MC 20/20 with internal

with internal combustion engine Loncin LC148F-2 S BA







- Tank in high strength polyetylene
- Very low barycentre that guarantees stability
- Complete emptying even on ground that is not perfectly flat
- Points for fastening the lance
- Lever spray gun with nozzle and diffuser
- External filter
- Tubolar frame with detachable handles
- Frame support foot part of the frame, not removable
- Optional hose reel on request

## **CRL** 80







#### **OPTIONAL** (on request)



#### **AVAILABLE IN 2 VERSIONS**

#### electric motor · internal combustion engine



MC 20/20 3.554.0051 with electric motor MNF 230/50

MC 20/20 3.554.0052

with internal combustion engine Loncin LC148F-2 S BA







- · Tank in high strength polyetylene
- Very low barycentre that guarantees stability
- · Complete emptying even on ground that is not perfectly flat
- · Lever spray gun with nozzle and diffuser
- External filter
- Tubolar frame with detachable handles
- Frame support foot part of the frame, not removable
- Optional hose reel on request

## **CRL** 120











#### **OPTIONAL** (on request)



#### **AVAILABLE IN 2 VERSIONS**

#### electric motor · internal combustion engine



3.554.0051 with

MC 20/20 with electric motor MNF 230/50

3.554.0052

MC 20/20 with internal combustion engine

Loncin LC148F-2 S BA







- Tank in high strength polyetylene
- Very low barycentre that guarantees stability
- · Complete emptying even on ground that is not perfectly flat
- · Lever spray gun with nozzle and diffuser
- External filter
- Tubolar frame with detachable handles
- Frame support foot part of the frame, not removable
- Optional hose reel on request

### CRL 50 BATTERY

















## AVAILABLE IN 2 VERSIONS MTP CBM 1200 HP · MTP CBM 1500 HP



**3.554.0053** MTP CBM 1200 HP 12V + 24Ah battery + accessories

**3.554.0054** MTP CBM 1500 HP 12V + 35Ah battery + accessories

**3.554.0056** MTP CBM 1200 HP 12V + 24Ah battery (not included) + accessories

**3.554.0057** MTP CBM 1500 HP 12V + 35Ah battery (not included) + accessories







- Autonomous battery for intensive use up to 3 hours
- High-pressure electric pump for spraying with a maximum range of 7 meters
- The pressure switch ensures the pump is switched on only when the nozzle is activated
- Adjustable lance with integrated nozzle
- Standard pressure regulator
- 12V charger with charge indicator
- Glycerine pressure gauge
- 5 meter hose

COD. 0.068.0006 CRL 50 BATTERY

Battery, accessories and motorpump not included.

### CRL 80 BATTERY













#### **AVAILABLE IN 2 VERSIONS** MTP CBM 1200 HP · MTP CBM 1500 HP



3.554.0053 MTP CBM 1200 HP 12V + 24Ah battery + accessories

**3.554.0054** MTP CBM 1500 HP 12V + 35Ah battery + accessories

**3.554.0056** MTP CBM 1200 HP 12V + 24Ah battery (not included) + accessories

**3.554.0057** MTP CBM 1500 HP 12V + 35Ah battery (not included) + accessories







- Autonomous battery for intensive use up to 3 hoursHigh-pressure electric pump for spraying with a maximum range of 7 meters
- The pressure switch ensures the pump is switched on only when the nozzle is activated
- Adjustable lance with integrated nozzle
- Standard pressure regulator
- 12V charger with charge indicator
- Glycerine pressure gauge
- 5 meter hose

COD. 0.068.0004 CRL 80 BATTERY

Battery, accessories and motorpump not included.

### CRL 120 BATTERY













## AVAILABLE IN 2 VERSIONS MTP CBM 1200 HP · MTP CBM 1500 HP



3.554.0053 MTP CBM 1200 HP 12V + 24Ah battery + accessories

**3.554.0054** MTP CBM 1500 HP 12V + 35Ah battery + accessories

**3.554.0056** MTP CBM 1200 HP 12V + 24Ah battery (not included) + accessories

**3.554.0057** MTP CBM 1500 HP 12V + 35Ah battery (not included) + accessories







- Autonomous battery for intensive use up to 3 hours
- High-pressure electric pump for spraying with a maximum range of 7 meters
- The pressure switch ensures the pump is switched on only when the nozzle is activated
- Adjustable lance with integrated nozzle
- Standard pressure regulator
- 12V charger with charge indicator
- Glycerine pressure gauge
- 5 meter hose

COD. 0.068.0005 CRL 120 BATTERY

Battery, accessories and motorpump not included.

## **AFTER-USE PRECAUTIONS:**

- 1 SPRAY 2 LT (0.5 GALLON) CLEAN WATER TO REMOVE ALL THE CHEMICAL RESIDUES
- 2 ONLY STORE THE WHEELBARROW IF EMPTY
- 3- REGULAR INSPECTION AND THROUGHOUT MAINTENANCE REQUIRED IN CASE OF USE WITH AGGRESSIVE CHEMICALS

# ARE YOU INTERESTED IN OUR PRODUCTS?

info@lavor.com









