

LAVOR

SIMPLY STRONGER

LAVOR NEWS



PROFESSIONAL LINE

MAINE

Cold water high pressure cleaner

Idropulitrice ad acqua fredda



180
bar max



540
l/h max



2800
W

LAVOR

Ergonomic telescopic handle

Pratica maniglia telescopica



Quick start with rotary switch ON/OFF

Accensione rapida con tasto rotativo ON/OFF



Power cable and hose storage facility

Portacavo e portatubo per un comodo riordino dopo l'uso



Integrated detergent suction with external suction probe

Aspirazione detergente integrata con sonda esterna



Handle for horizontal transport: easy to transport both horizontally and on wheels.

Maniglia per trasporto orizzontale: semplice da trasportare sia in orizzontale che su ruote



More compact and practical in the after use phase

Massima praticità anche dopo l'uso



Large wheels with rubber tread

Grandi ruote con battistrada in gomma



All accessories on board

Accessori tutti on board



GENERAL FEATURES

- Three steel pistons, brass axial pump head with built-in by-pass valve.
- Suction and delivery S. S. valves.
- Integrated detergent suction with external suction probe.
- Power cable holder.
- High pressure hose R1 (8m).
- Accessory holder.
- Ergonomic handle.
- Turbo lance (optional).

CARATTERISTICHE GENERALI

- Pompa assiale con testata in ottone a tre pistoni in acciaio e valvola di by-pass incorporata.
- Valvole di aspirazione e mandata in acciaio inox.
- Aspirazione del detergente integrata con sonda di aspirazione esterna.
- Porta cavo elettrico.
- Tubo R1 ad alta pressione (8m).
- Porta accessori.
- Maniglia ergonomica.
- Lancia turbo (optional).

TECHNICAL DATA | DATI TECNICI

Code Codice	Model Modello	bar/bar max	l/h max	W	RPM	V - Hz	Kg	cm	pcs for pallet
8.673.0001C	MAINE 1409 XP	140/180	540	2800	2800	230 - 50	23	39x39 h 71	18



STANDARD ACCESSORIES | ACCESSORI STANDARD





LAVOR

LAVORWASH S.p.A. J.F.Kennedy, 12 - 46020 Pegognaga (MN) Italy - Tel. +39 0376 55431 - Fax +39 0376 558927
E-mail: info@lavorwash.it - WebSite: www.lavor.com